

**To:** Egan, Robert[egan.robert@epa.gov]  
**From:** Kamke, Sherry  
**Sent:** Tue 9/5/2017 5:04:52 PM  
**Subject:** FW: question about SOW for AS/SVE

Could you have Tom include Bhooma and Conor on the OSC database site?

**From:** Sundar, Bhooma  
**Sent:** Tuesday, September 05, 2017 12:03 PM  
**To:** Egan, Robert <egan.robert@epa.gov>  
**Cc:** Neal, Conor <Neal.Conor@epa.gov>; Kamke, Sherry <Kamke.Sherry@epa.gov>  
**Subject:** RE: question about SOW for AS/SVE

Hi Bob,

Could you please share the source characterization report for the Tower Standard LUST site?. Any other supporting information would also be helpful for us to contribute in a meaningful way.

Thanks.

Bhooma

**From:** Egan, Robert  
**Sent:** Thursday, August 31, 2017 7:14 AM  
**To:** Sundar, Bhooma <[sundar.bhooma@epa.gov](mailto:sundar.bhooma@epa.gov)>  
**Cc:** Neal, Conor <[Neal.Conor@epa.gov](mailto:Neal.Conor@epa.gov)>; Kamke, Sherry <[Kamke.Sherry@epa.gov](mailto:Kamke.Sherry@epa.gov)>  
**Subject:** RE: question about SOW for AS/SVE

Thank you, Bhooma. This is a good example to get me better acquainted with the process.

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)

**From:** Sundar, Bhooma

**Sent:** Wednesday, August 30, 2017 4:26 PM

**To:** Egan, Robert <[egan.robert@epa.gov](mailto:egan.robert@epa.gov)>

**Cc:** Neal, Conor <[Neal.Conor@epa.gov](mailto:Neal.Conor@epa.gov)>; Kamke, Sherry <[Kamke.Sherry@epa.gov](mailto:Kamke.Sherry@epa.gov)>

**Subject:** Re: question about SOW for AS/SVE

Hi Bob,

After reading Mike's email, I recognize the time sensitive nature of this project. I browsed through the web for a latest pilot workplan and I came up with this. The attached document would be a good start for you to put together a work order.

Bhooma

---

**From:** Sundar, Bhooma

**Sent:** Wednesday, August 30, 2017 2:51:25 PM

**To:** Egan, Robert

**Subject:** Re: question about SOW for AS/SVE

Sure, No problem.

---

**From:** Egan, Robert

**Sent:** Wednesday, August 30, 2017 2:47:21 PM

**To:** Sundar, Bhooma

**Subject:** RE: question about SOW for AS/SVE

Thank you, Bhooma.

I will be working at home tomorrow. If you have a CD, can you e-mail the document to me?

If not, please place the report on my chair.

Thank you!

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)

**From:** Sundar, Bhooma

**Sent:** Wednesday, August 30, 2017 2:42 PM

**To:** Egan, Robert <[egan.robert@epa.gov](mailto:egan.robert@epa.gov)>; Neal, Conor <[Neal.Conor@epa.gov](mailto:Neal.Conor@epa.gov)>

**Cc:** Kamke, Sherry <[Kamke.Sherry@epa.gov](mailto:Kamke.Sherry@epa.gov)>

**Subject:** Re: question about SOW for AS/SVE

Bob,

I am working from home today and don't seem to have an electronic copy of AS/SVE work plan. I will bring the CD or the hardcopy with me when we meet tomorrow.

Bhooma

---

**From:** Egan, Robert  
**Sent:** Wednesday, August 30, 2017 1:38:13 PM  
**To:** Neal, Conor; Sundar, Bhooma  
**Cc:** Kamke, Sherry  
**Subject:** question about SOW for AS/SVE

Bhooma and Conor,

Thank you for offering to assist with the Tower Standard LUST site. I look forward to giving you some background site information.

As a first question, do either of you have a Statement of Work/Task Order/Work Plan for an Air Sparge/Soil Vapor Extraction Pilot Scale Test at a site? Mike Harris wants us to move quickly to get a contractor on board to do this work at the site. I have access to a SF contractor but need an example SOW to draw information from for writing up my task order.

And secondly, are either of you a WAM or COR? I am a COR but we are looking for a backup if one is needed.

Thank you for your help.

Bob

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)